

CTP

Educazione degli Adulti
Centri Territoriali Permanenti

Per l'educazione continua degli adulti

Bibliografia:

- 1) ¹ Kassirer JP, Angell M: Losing weight – An ill-fated new year's resolution. *NEJM* 338:52-54 Jan 1, 1998 N.1
- 2) ¹ Collins AL, McCarthy HD: Evaluation of factors determining the precision of body composition measurements by air displacement pletysmography. *Eur J Clin Nutr.* 2003 Jun ;57 (6) : 770-776.
- 3) ¹ Sardinha LB, et al: Comparison of air displacement pletysmography with dual-energy X-ray absorptimetry and 3 field methods for estimating body composition in idle-aged men. *Am J Clin Nutr* 1998;68:786-93.
- 4) ¹ Luciano A. et al: BMI as an indicator of degree of obesity in childhood. *Pediatr Med Chir* 2001 May-Aug;23(3-4):183-5.
- 5) ¹ Welborn TA, Knuiman MW, Vu HT: BMI and alternative indices of obesity in relation to height, triceps skinfold and subsequent mortality: the Busselton health study. *Int J Obes Relat Metab Disord.* 2000 Jan;24(1):108-15.
- 6) ¹ Stevens J, Plankey MW, Williamson DF, Thun MJ, Rust PF, Palesch Y, O'Neil PM. The BMI-mortality relationship in white and African American women. *Obes Res.* 1998 Jul;6(4):268-77.
- 7) ¹ Wannamethee SG, Shaper AG, Walker M: Weight change, body weight and mortality: the impact of smoking and ill health. *Int J Epidemiol.* 2001 ;30 :777-786.
- 8) ¹ Bender R, Jockel KH, Trautner C, Spraul M, Berger M: Effect of age on excess mortality in obesity. *JAMA* 1999 Apr 28;281(16):1498-504.
- 9) ¹ Stevens J, Cai J, Pamuk ER, Williamson DF, Thun MJ, Wood JL: the effect of age on the association between BMI and mortality. *NEJM* 1998 Jan 1;338 N°1:1-7.
- 10) ¹ Bender R, et al : Effect of age on excess mortality in obesity. *JAMA.* 1999;281:1498-1504.
- 11) ¹ Baik I, Ascherio A, Rimm EB, Giovannucci E, Spiegelman D, Stampfer MJ, Willett WC: Adiposity and mortality in men. *Am J Epidemiol.* 2000 Vol.152, N3:264-271.
- 12) ¹ Dey DK, Rothenberg E, Sundh V, Bosaeus I, Steen B: Body mass index, weight change and mortality in the elderly. A 15y longitudinal population study of 70y olds. *Europ J Clin Nutri* 2001 55, 482-492.
- 13) ¹ Losonczy KG, et al: Does weight loss from middle age to old age explain the inverse weight mortality relation in old age?. *Am J Epidemiol.* 1995, Vol 141, N° 4, 312-321.
- 14) ¹ Singh PN, Lindsted KD, Fraser GE: BMI and mortality among adults who never smoked. *Am J Epidemiol* 1999 Dec 1;150(11):1152-64.
- 15) ¹ Engeland A Bjorge T, Selmer RM, Tverdal A: Height and BMI in relation to total mortality. *Epidemiology.* 2003 May;14(3):293-9.
- 16) ¹ Taylor DH, Ostbye T: The effect of middle and old-age BMI on short-term mortality in older people. *J Am geriatr Soc.* 2001 Oct;49(10):1319-26.

- 17) ¹ Diehr P, Newman AB, Jackson SA, Kuller L, Powe N: Weight modification trials in older adults: what should the outcome measure be?. *Curr Control trials cardiovasc Med*. 2002;3(1):1
- 18) ¹ Heiat A, Vaccarino V, Krumholtz HM: An evidence-based assessment of federal guidelines for overweight and obesity as they apply to elderly persons. *Arch Intern Med*. 2001 May 14;161(9):1194-203.
- 19) ¹ Heiat A: Impact of age on definition of standards for ideal weight. *Prev Cardiol*. 2003 Spring;6(2):104-7.
- 20) ¹ Stevens J, et al: Consequences of the use of different measures of effect to determine the impact of age on the association between obesity and mortality. *Am J Epidemiol*. 1999 Aug 15;150(4):399-407.
- 21) ¹ Bray GA: Don't throw the baby out with the bath water. *Am J Clin Nutr*. 2004 March Vol79; N3: 347-349.
- 22) ¹ Kyle UG, et al: Body composition interpretation. Contribution of the fat-free mass index and the body fat mass index. *Nutrition*. 2003 Jul-Aug;19(7-8):597-604.
- 23) ¹ Martin Moreno V, et al: Measurement of body fat with bioelectric impedance, skinfold thickness, and equations based on anthropometric measurement. Comparative analysis. *Rev Esp Salud Publica*. 2001 May-Jun;75(3):221-36.
- 24) ¹ Erselcan T, Candan S, Saruhan S, Ayca T: Comparison of body composition analysis methods in clinical routine. *Ann Nutr Metab*. 2000;44(5-6):243-8.
- 25) ¹ Chan DC et al: Waist Circumference, waist-to-hip ratio and BMI as predictors of adipose tissue compartments in men. *QJM*. 2003 Jun;96(6):441-7.
- 26) ¹ Chan DC, Watts GF, Barrett PH, Burke V: Waist circumference, waist-to-hip ratio and BMI as predictors of adipose tissue compartments in men. *QJM*. 2003 Jun;96(6):441-7.
- 27) ¹ Han TS, van Leer EM, Seidell JC, Lean ME: Waist circumference action levels in the identification of cardiovascular risk factors: prevalence study in a random sample. *BMJ*. 1995 Nov 25;311(7017):1401-5.
- 28) ¹ Lean MEJ, Han TS, Morrison CE: Waist circumference as a measure for indicating need for weight management. *BMJ* 1995;311:158-161 (15 July).
- 29) ¹ Zhu SK, et al: Waist circumference and obesity-associated risk factors among whites in the third National Health and Nutrition Examination Survey: clinical action threshold. *Am J Clin Nutr*, Vol. 76, N.4, 743, October 2002.
- 30) ¹ Sanchez-Castillo CP, et al: Anthropometric cutoff points for predicting chronic diseases in the Mexican National Health Survey 2000. *Obesity Res*. 2003; 11:442-451.
- 31) ¹ Berber A et al: Anthropometric indexes in the prediction of type 2 diabetes mellitus, hypertension and dyslipemia in a Mexican population. *Int J Obes Relat Metab Disord*. 2001 Dec;25(12):1794-9.
- 32) ¹ Bermudez OI, Tucker KL: Total and central obesity among elderly Hispanic and the association with type II diabetes. *Obes Res*. 2001 Aug;9(8):443-51.
- 33) ¹ Lin WY, Lee LT, Chen CY, Lo H, Hsia HH, Liu IL, Lin RS, Shau WY, Huang KC: Optimal cut-offs for obesity: using simple anthropometric indices to predict cardiovascular risk factors in Taiwan. *Int J Obes Relat Metab Disord*. 2002 Sep;26(9):1232-8.
- 34) ¹ Foucan L, Hanley J, Deloumeaux J, Suissa S: BMI and waist circumference as screening tools for cardiovascular risk factors in Guadeloupean women. *J Clin Epidemiol*. 2002 Oct ;55(10) :990-6.
- 35) ¹ Ardern CI, Katzmarzyk PT, Janssen I, Ross R: Discrimination of health risk by combined BMI and WC. *Obesity Res*. 2003; 11:135-142.
- 36) ¹ Zhu S, Wang Z, Helska S, Heo M, Faith MS, Heymsfield SB: Waist circumference and obesity-associated risk factors among whites in the third National Health and Nutrition Examination Survey: clinical action thresholds. *Am J Clin Nutr*. 2002 Oct;76(4):743-9.
- 37) ¹ Bigaard J, Tjonneland A, Yhonsen BL, Overvad K, Heitmann BL, Sorensen TI: Waist circumference, BMI, smoking, and mortality in middle aged men and women. *Obes Res*. 2003 Jul;11(7):895-903.
- 38) ¹ Rexrode KM, Carey VJ, et al: Abdominal adiposity and coronary heart disease in women. *JAMA*. 1998;280:1843-1848.
- 39) ¹ Wang Z, Hoy WE: Waist circumference, BMI, hip circumference and waist-hip ratio as predictors of cardiovascular disease in Aboriginal people. *Eur J Clin Nutr*. 2004 Jun ;58(6) :888-93.
- 40) ¹ Iwao S, Iwao N, Muller DC, Elahi D, Shimokata H, Andres R: Does waist circumference add to the predictive power of the BMI for coronary risk?. *Obesity Res*. 2001. 9:685-695.
- 41) ¹ Iwao S, Iwao N, Muller DC, Elahi D, Shimokata H, Andres R: Effect of aging on the relationship between multiple risk factors and waist circumference. *J Am Geriatr Soc*. 2000 Jul;48(7):788-94.

- 42) ¹ Janssen I, Katzmarzyk, PT, Ross R: WC and not BMI explains obesity-related health risk. *Am J Clin Nutr.* Vol79, N3, 379-384. March 2004.
- 43) ¹ Dey DK, Lissner L: Obesity in 70 year old subjects as a risk factor for 15 year coronary heart disease incidence. *Obes Res.* 2003 Jul;11(7):817-27.
- 44) ¹ Visscher TL, et al: A comparison of BMI, WHR, and WC as predictors of all-cause mortality among the elderly: the Rotterdam Study. *Int J Obes Relat Metab Disord.* 2001 Nov;25(11):1730-5.
- 45) ¹ Seidell JC, Pèrusse L, Despres JP, Bouchard C: Waist and hip circumference have independent and opposite effects on cardiovascular disease risk factors: the Quebec Family Study. *Am J Clin Nutr,* Vol74, N3, 315-321.
- 46) ¹ Folsom AR, et al: Associations of general and abdominal obesity with multiple health outcomes in older women: the Iowa women's health study. *Arch Intern Med.* 2000 Jul 24;160(14):2117-28.
- 47) ¹ Silventoinen K, Jousilahti P, Vartiainen E, Tuomilehto J: Appropriateness of anthropometric obesity indicators in assessment of coronary heart disease risk among Finnish men and woman. *Scand J Public Health.* 2003;31(4):283-90.
- 48) ¹ Welborn TA, Dhaliwal SS, Bennett SA: Waist-hip ratio is the dominant risk factor predicting cardiovascular death in Australia. *Med J Aust.* 2003 Dec 1-15;179(11-12):580-5.
- 49) ¹ Rexrode KM, Carey VJ, et al: Abdominal adiposity and coronary heart disease in women. *JAMA.* 1998;280:1843-1848.
- 50) ¹ Prineas RJ, Folsom AR, Kaye SA: Central adiposity and increased risk of coronary artery disease mortality in older women. *Ann Epidemiol.* 1993 Jan;3(1):35-41.
- 51) ¹ Hartz A et al: The association of waist hip ratio and angiographically determined coronary artery disease. *Int J Obes.* 1990 Aug;14(8):657-65.
- 52) ¹ Huang B, et al: Associations of adiposity with prevalent coronary heart disease among elderly men: the Honolulu heart program. *Int J Obes Relat Metab Disord.* 1997 May;21(5):340-8.
- 53) ¹ Rimm ER, Stampfer MJ, Giovannucci E, Ascherio A, Spiegelman D, Colditz GA, Willet WC: Body size and fat distribution as predictors of coronary heart disease among middle-aged and older US men. *Am J Epidemiol.* 1995 Jun 15;141(12):1117-27.
- 54) ¹ Ohrvall M, Berglund L, Vessby B: Sagittal abdominal diameter compared with other anthropometric measurements in relation to cardiovascular risk. *Int J Obes Relat Metab Disord.* 2000 Apr;24(4):497-501.
- 55) ¹ Sayeed MA, et al: Waist-to-height ratio is a better obesity index than BMI and WHR for predicting diabetes, hypertension and lipidemia. *Bangladesh Med Res Counc Bull.* 2003 Apr;29(1):1-10.
- 56) ¹ Ben-Noun L, Laor A: Relationship of neck circumference to cardiovascular risk factors. *Obes Res.* 2003 Feb;11(2):226-31.
- 57) ¹ Hsieh SD, Yoshinaga H: Abdominal fat distribution and coronary heart disease risk factors in men waist/height ratio as a simple and useful predictor. *Int J Obes Relat Metab Disord.* 1995 Aug;19(8):585-9.
- 58) ¹ Hsieh SD, Yoshinaga H: Waist/height ratio as a simple and useful predictor of coronary heart disease risk factors in women. *Intern Med.* 1995 Dec;34(12):1147-52.
- 59) ¹ Dittman M, Reber H: New equations for estimating body cell mass from bioimpedance parallel models in healthy older Germans. *Am J Physiol Endocrinol Metab* 281: E1005-E1014, November 2001.
- 60) ¹ Dittmar M: Reliability and variability of bioimpedance measures in normal adults: effects of age, gender, and body mass. *Am J Phys Anthropol.* 2003 Dec;122(4):361-70.
- 61) ¹ Buffa R, Floris G, Marini E: Migration of the bioelectrical impedance vector in healthy elderly subjects. *Nutrition.* 2003 Nov.Dec;19(11-12):917-21.
- 62) ¹ Wu TJ: Relationship between age, sex, anthropometry and bioelectrical impedance. *J Formos Med Assoc.* 1992 Dec;91(12):1143-7.
- 63) ¹ Bolanowsky M, Nilsson BE: Assessment on human body composition using DEXA and BIA analysis. *Med Sci Monit.* 2001 Sep-Oct;7(5):1029-33.
- 64) ¹ Kyle UG, Genton L, Karsegard L, Slosman DO, Pichard C: Single prediction equation for bioelectrical impedance analysis in adults aged 20-94 years. *Nutrition* 2001 Mar;17(3):248-53.
- 65) ¹ Erselcan T, Candan F, Saruhan S, Ayca T: Comparison of body composition analysis methods in clinical routine. *Ann Nutr Metab.* 2000;44(5-6):243-8.
- 66) ¹ Genton L, Karsegard VL, Kyle UG, Hans DB, Michel JP, Pichard C: Comparison of four bioelectrical impedance analysis formulas in healthy elderly subjects. *Gerontology.* 2001 Nov_dec;47(6):315-23.

- 67) ¹ Dey DK, Bosaeus I, Lissner L, Steen: Body composition estimated by bioelectrical impedance in the Swedish elderly. Development of population-based prediction equation and reference values of fat-free mass and body fat for 70 and 75-y olds. *Eur J Clin Nutr*. 2003 Aug;57(8):909-16.
- 68) ¹ Kevin KE, et al: Clinical importance of obesity versus the metabolic syndrome in cardiovascular risk in women. *Circulation*. 2004;109:706-713.
- 69) ¹ Gray RS, Fabsitz RR, Cowan LD, et al: Relation of generalized and central obesity to cardiovascular risk factors and prevalent coronary heart disease in a sample of American Indians: the Strong Heart Study. *Int J Obes Relat Metab Disord*. 2000 Jul;24(7):849-60.
- 70) ¹ Ledoux M, Lambert J, Reeder BA, Despres JP: A comparative analysis of weight to height and WHR indices as indicators of the presence of cardiovascular disease risk factors. *Canadian Heart Health Survey Research Group. CMAJ*. 1997 Jul 1;157 Suppl 1:S32-8.
- 71) ¹ Schulte H, Cullen P, Assmann G: Obesity, mortality and cardiovascular disease in the Manster heart Study (PROCAM). *Atherosclerosis*. 1999 May;144(1):199-209.
- 72) ¹ Appel SJ, Jones ED, Kennedy-Malone L: Central obesity and the metabolic syndrome: implications for primary care providers. *J Am Acad Nurse Pract*. 2004 Aug;16(8):335-42.
- 73) ¹ Park YW, Zhu S, et al: Prevalence and associated risk factor findings in the US population from the NHANES III, 1988-1994. *Arch Intern Med* 2003 Feb;163:42736.
- 74) ¹ Lakka HM, Laaksonen DE, Lakka T, et al: The metabolic syndrome and total and cardiovascular disease mortality in middle-aged men. *JAMA*. 2002 Dec;288:2709-16.
- 75) ¹ Kip KE, Marroquin OC, et al: Clinical importance of obesity versus the metabolic syndrome in cardiovascular risk in women. *Circulation* 2004;109:706-13.
- 76) ¹ Jurca R, Lamonte MJ, et al: Associations of muscle strength and aerobic fitness with metabolic syndrome in men. *Med Sci Sports Ex*. 2004;1301-7.
- 77) ¹ Barter PJ, Nicholls S, et al: Antiinflammatory properties of HDL. *Circulation Research*. 2004;95:764-772.
- 78) ¹ Allison DB, Fontaine KR, Manson JOA, Stevens J, VanItallie TB: Annual deaths attributable to obesity in the United States. *JAMA*, October 27, 1999- Vol 282, N.16.
- 79) ¹ Stevens J, Cai J, Juhaeri, Thun MJ, Williamson DF, Wood JL: Consequences of the use of different measures of effect to determine the impact of age on the association between obesity and mortality. *Am J Epidemiol*. 1999;150:399-407.
- 80) ¹ Sjostrom LV: Mortality of severely obese subjects. *Nutr*. 1992 Feb;55(2 Suppl):516S-523S.
- 81) ¹ Peeters A, et al: Obesity in adulthood and its consequences for life expectancy: a life-table analysis. *Ann Intern Med*. / Jan 2003, Vol.138;1:24-32.
- 82) ¹ Stevens JS: Impact of age on associations between weight and mortality. *Nutr Reviews*, Vol.58 N5, May 2000: 129-137.
- 83) ¹ Fontaine KR, Redden DT, Wang C, Westfall AO, Allison DB: Years of life lost due to obesity. *JAMA*, January 8, 2003, Vol 289, N2, 187-193.
- 84) ¹ Fontaine KR, Heo M, Cheskin LJ, Allison DB: BMI, smoking, and mortality among older American women. *J Womens Health*. 1998 Dec;7(10):1257-61.
- 85) ¹ Allison DB, Faith MS, Heo M, Townsend-Butterworth D, Williamson DF: Meta-analysis of the effect of excluding early deaths on the estimated relationship between BMI and mortality. *Obes Res*. 1999 Jul;7(4):342-54.
- 86) ¹ Allison DB, Faith MS, Heo M, Kotler DP: Hypothesis concerning the U-shape relation between body mass index and mortality. *Am J Epidemiol*. 1997 Aug 15;146(4):339-49.
- 87) ¹ Allison DB, Zhu SK, Plankey M, Faith MS, Heo M: Differential associations of BMI and adiposity with all-cause mortality among men in the first and second NHANES follow-up studies. *Int J Obes Relat Metab Disord*. 2002 Mar;26(3):410-16.
- 88) ¹ Zhu S, Plankey M, Faith MS, Allison DB: Association of BMI and anthropometric indicators of fat mass and fat free mass with all-cause mortality among women in the NHANES I e II follow-up studies. *Ann Epidemiol*. 2003 Apr;13(4):286-93.
- 89) ¹ Lee YS, Loke KY: The molecular pathogenesis of obesity: an unfinished jigsaw puzzle. *Ann Acad Med Singapore*. 2000 May;29 (3): 388-95.
- 90) ¹ Price RA, Stunkard AJ: Commingling analysis of obesity in twins. *Hum Hered*. 1989;39(3): 121-35.
- 91) ¹ Sorensen TI, Price RA, Stunkard AJ, Schulsinger F: Genetics of obesity in adult adoptees and their biological siblings. *BMJ* 1989 Jan 14;298(6666): 87-90.
- 92) ¹ Bouchard C: Genetics of obesity in humans: current issues. *Ciba Found Symp*. 1996;201:108-15.
- 93) ¹ Clement K, Boutin P, Froguel P: Genetics of obesity. *Am J Pharmacogenomics*. 2002;2 (3): 177-87.

- 94) ¹ Froguel P, Boutin P: Genetics of pathways regulating body weight in the development of obesity in humans. *Exp Biol Med* (Maywood). 2001 Dec;226(11):991-6.
- 95) ¹ Froguel P, Guy-Grand B, Clement K: Genetics of obesity: towards the understanding of a complex syndrome. *Presse Med*. 2000 Mar 18;29(10): 564-71.
- 96) ¹ Cummings DE, Schwartz MW: Genetics and pathophysiology of human obesity. *Annu Rev Med*. 2003;54:453-71. Epub 2001 Dec 03.
- 97) ¹ Rosenbaum M, Leibel RL: The physiology of body weight regulation: relevance to the etiology of obesity in children. *Pediatrics*. 1998 Mar; 101(3 Pt 2):525-39.
- 98) ¹ Hill JO, Peters JC: Environmental contributions to the obesity epidemic. *Science*. 1998 May 29;280(5368):1371-4.
- 99) ¹ Prentice A, Jebb S: Energy intake physical activity interactions in the homeostasis on body weight regulation. *Nutr Reviews* July 2004 Vol62; N7:(II)S98-S104.
- 100) ¹ Simopoulos AP: The mediterranean diets: what is so special about the diet of Greece? The scientific evidence. *J Nutr*. 2001 Nov;131(11 Suppl):3065S-73S.
- 101) ¹ Hursting SD, Lavigne JA, Berrigan D, Perkins SN, Barrett JC: Calorie restriction, aging and cancer prevention: mechanisms of action and applicability to humans. *Annu Rev Med*. 2003;54:131-52.
- 102) ¹ Caballero B: Introduction. Symposium: Obesity in developing country: biological and ecological factors. *J Nutr*. 2001 Mar;131 (3): 866S-870S.
- 103) ¹ Buchholz AC, Schoeller DA: Is a calorie a calorie? *Am J Clin Nutr* 2004;79(suppl):899S-906S.
- 104) ¹ Tremblay A: Dietary fat and body weight set point. *Nutr Reviews* July 2004, Vol.62; N.7:(II)S75-S77.
- 105) ¹ Bray GA, Popkin BM: Dietary fat intake does affect obesity!. *Am J Clin Nutr*. 1998;68:1157-73.
- 106) ¹ Proctor DN et al: Comparison of techniques to estimate total body skeletal muscle mass in people of different age group: *Am J Physiol Endocrinol Metab* 277:E489-E495, 1999.
- 107) ¹ Kyle UG, Genton L, Hans D, Karsegard L, Slosman DO, Pichard C: Age-related differences in fat-free mass, skeletal muscle, body cell mass and fat mass between 18 and 94 years. *Eur J Clin Nutr*. 2001 Aug ;55(8) :663-72.
- 108) ¹ Kyle UG, Genton L, Hans D, Karsegard L, Michel JP, Slosman DO, Pichard C: Total body mass, fat mass, fat-free mass, and skeletal muscle in older people: cross-sectional differences in 60-year-old persons: *J Am Geriatr Soc*. 2001 Dec;49(12):1633-40.
- 109) ¹ Schwartz RS, et al: Body fat distribution in healthy young and older men. *J Gerontol*. 1990 Nov;45(6):M181-5.
- 110) ¹ The BH, Pan WH, Chen CJ: The reallocation of body fat toward the abdomen persists to very old age, while BMI declines after middle age in Chinese. *Int J Obes Relat Metab Disord*. 1996 Jul;20(7):683-7.
- 111) ¹ The BH, Pan WH, Chen CJ: The reallocation of body fat toward the abdomen persists to very old age, while BMI decline after middle age in Chinese. *Int J Obes* 1996, 20:683-687.
- 112) ¹ Krotkiewski M: Thyroid hormones and treatment of obesity. *Int J Obes*. 2000 24, Suppl 2 S116-S119.
- 113) ¹ Cavallo E, Armellini F, et al: RMR, body composition and thyroid hormones. Short term effects of very low calorie diets. *Horm Metab res*. 1990 Dec;22(12):632-5.
- 114) ¹ Pucci E, Chiovato L, Pinchera A: Thyroid and lipid metabolism. *Intern J Obes*. 2000; 24: Suppl 2, S109-S112.
- 115) ¹ Astrup A, et al: Meta-analysis of resting metabolic rate in formerly obese subjects. *Am J Clin Nutr*. Vol.69; 1117-1122: June 1999.
- 116) ¹ Hill JO, Wyatt HR: Relapse in obesity treatment: biology or behavior? *Am J Clin Nutr* 1999;69:1064-5.
- 117) ¹ Van Pelt RE, Dinneno FA, Seals DR, Jones PP: Age-related decline in RMR in physically active men: relation to exercise volume and energy intake. *Am J Physiol Endocrinol Metab*. 2001; 281: E633-E639.
- 118) ¹ Leibel RL, Rosenbaum M, Hirsch J: Changes in energy expenditure resulting from altered body weight. *NEJM*. 1995 Mar 9;332(10):621-8.
- 119) ¹ Schrauwen P, Walder K, Ravussin E: Human uncoupling proteins and obesity. *Obes Res*. 1999 Jan;7(1):97-105.
- 120) ¹ Warden C: Genetics of uncoupling proteins in humans. *Int J Obes Relat Metab Disord*. 1999 Jun;23 Suppl 6:S46-8.
- 121) ¹ Schonfeld-Warden NA, Warden CH: Physiological effects of variants in human uncoupling proteins: UCP2 influences BMI. *Biochem Soc Trans*. 2001 Nov;29(pt6):777-84.

- 122) ¹ Dalgaard LT, Pedersen O: Uncoupling proteins: functional characteristics and role in the pathogenesis of obesity and type II diabetes. *Diabetologia*. 2001 Aug;44(8):946-65.
- 123) ¹ Jaber E: Genetic linkage of uncoupling proteins (UCP2 and UCP3) with body weight regulation. *Asia Pac J Clin Nutr*. 2004;13(Suppl):S140.
- 124) ¹ Roubenoff R: Sarcopenia and its implications for the elderly. *Europ J Clin Nutr* 2000, 54, Suppl 3: S40-S47.
- 125) ¹ Kinney JM: Nutritional frailty, sarcopenia and falls in the elderly. *Cuu Opin Clin Nutr Metab Care*. 2004 Jan;7(1):15-20.
- 126) ¹ Roubenoff R: Sarcopenia: a major modifiable cause of frailty in the elderly. *J Nutr Health Aging*. 2000;4(3):140-2.
- 127) ¹ Gallagher D, et al: Weight stability masks sarcopenia in elderly men and women. *Am J Physiol Endocrinol Metab*. 279:E366-E375, August 2000.
- 128) ¹ Short KR, Nair KS: Muscle protein metabolism and the sarcopenia of aging. *Int J Sport Exerc Metab*. 2001, 11 :S119-S127.
- 129) ¹ Marcell TJ: Sarcopenia: causes, consequences, and preventions. *J Gerontol A Biol Sci Med Sci*. 2003 Oct;58(10):M911-6.
- 130) ¹ Dionne IJ, Kinaman KA, Poehlman ET: Sarcopenia and muscle function during menopause and hormone-replacement therapy. *J Nutr Health Aging*. 2000;4(3):156-61.
- 131) ¹ Fiatarone MA, O'Neill EF, et al: Exercise training and nutritional supplementation for physical frailty in very elderly people. *N Eng J Med* 1994 Jun; 330 N25:1769-1775.
- 132) ¹ Ballor DL, Poehlman ET: Exercise-training enhances fat-free mass preservation during diet-induced weight loss: a meta-analytical finding. *Int J Obes* 1994, 18:35-40.
- 133) ¹ Doherty TJ: Invited review: aging and sarcopenia. *J Appl Physiol* 95:1717-1727, 2003.
- 134) ¹ Kamel HK: Sarcopenia and aging. *Nutr Reviews*. May 2003, Vol61;N.5:157-167.
- 135) ¹ Lenaz G: Role of mitochondria in oxidative stress and ageing. *Biochim Biophys Acta* 1998 Aug 10;1366(1-2):53-67.
- 136) ¹ Lenaz G et al: Role of mitochondria in oxidative stress and aging. *Annals of the New York Academy of Sciences* 959:199-213 (2002).
- 137) ¹ Kowaltowski AJ, Vercesi AE: Mitochondrial damage induced by conditions of oxidative stress. *Free Radic Biol Med* 1999 Feb;26(3-4):463-71.
- 138) ¹ Chen JJ, Yu BP: Alterations in mitochondrial membrane fluidity by peroxidation products. *Free Radic Biol Med* 1994 Nov;17(5):411-8.
- 139) ¹ Wei Y-H, et al: Oxidative damage and mutation to mitochondrial DNA and age-dependent decline of mitochondrial respiratory function. *Annals of the New York Academy of Sciences* 854:155-170 (1998).
- 140) ¹ Meissner C, Mohamed SA, von Wurmb N, Oehmichen M: The mitochondrial genome and aging. *Z Gerontol Geriatr*. 2001 Dec;34(6):447-51.
- 141) ¹ Del Bo R, Bordoni A, Martinelli Boneschi F, Crimi M, Sciacco M, Bresolin N, Scarlato G, Comi GP: Evidence and age-related distribution of mtDNA D-loop point mutations in skeletal muscle from healthy subjects and mitochondrial patients. *J Neurol Sci*. 2002 Oct 15;202(1-2):85-91.
- 142) ¹ McKenzie D, McKiernan S, Cao Z, Aiken JM, Wanagat J: Mitochondrial DNA deletion mutations: a causal role in sarcopenia. *Eur J Biochem*. 2002 Apr;269(8):2010-5.
- 143) ¹ Welle S: Cellular and molecular basis of age-related sarcopenia. *Can J Appl Physiol*. 2002 Feb;27(1):19-41.
- 144) ¹ Chomyn A, Attardi G: MtDNA mutations in aging and apoptosis. *Biochem Biophys Res Commun*. 2003 May 9;304(3):519-29.
- 145) ¹ Pak JW, Herebst A, Bua E, Gokey N, McKenzie D, Aiken JM: Mitochondrial DNA mutation as a fundamental mechanism in physiological declines associated with aging. *Aging Cell*. 2003 Feb;2(1):1-7.
- 146) ¹ Aiken J, Bua E, Cao Z, Polez M, Wanagat J, McKenzie D, McKiernan S: Mitochondrial DNA deletion mutations and sarcopenia. *Ann N Y Acad Sci*. 2002 Apr;959:412-23.
- 147) ¹ Kulak CA, Bilezikian JP: Osteoporosis: preventive strategies. *Int J Fertil Womens Med*. 1998 Mar-Apr;43(2):56-64
- 148) ¹ South-Paul JE: Osteoporosis: part II. Nonpharmacologic and pharmacologic treatment. *Am Fam Physician*. 2001 Mar 15;63(6):1121-8.
- 149) ¹ George GH, MacGregor AJ, Spector TD: Influence of current and past hormone replacement therapy on bone mineral density: a study of discordant post menopausal twins. *Osteoporos Int*. 1999;9(2):158-62.

- 150) ¹ Spangler JG, Quandt S, Bell RA: Smokeless tobacco and osteoporosis: a new relationship? *Med Hypotheses*. 2001 May;56(5):553-7.
- 151) ¹ Hansen SA, Folsom AR, Kushi LH, Sellers TA: Association of fractures with caffeine and alcohol in postmenopausal women: the Iowa Women's Health Study. *Public Health Nutr*. 2000 Sep;3(3):253-61.
- 152) ¹ Tucker KL, Hannan MT, Chen H, Cupples LA, Wilson PWF, Kiel DP: Potassium, magnesium, and fruit and vegetable intakes are associated with greater bone mineral density in elderly men and woman. *Am J Clin Nutr*, 1999 April Vol 69 N°4: 727-736.
- 153) ¹ Heaney RP: Is the paradigm shifting? *Bone* 33 (2003) 457-465.
- 154) ¹ Visser M, Kiel DP, et al: Muscle mass and fat mass in relation to bone mineral density in very old men and women: the Framingham heart study. *Appl radiat Isot*. 1998 May-Jun ;49(5-6) :745-7.
- 155) ¹ Kirchengast S, Peterson B, hauser G, Knogler W: Body composition characteristics are associated with the bone density of the proximal femur end in middle-and old aged women and men. *Maturitas*. 2001 Aug 25;39(2):133-45.
- 156) ¹ Pluijm SM, Visser M, et al: Determinants of bone mineral density in older men and women: body composition as mediator. *J Bone Miner Res*. 2001 Nov;16(11):2142-51.
- 157) ¹ Jensen LB, Quaade F, Sorensen OH: Bone loss accompanying voluntary weight loss in obese humans. *J Bone Miner Res* 9:459-463, 1994.
- 158) ¹ Salamone LM, et al: Effect of a lifestyle intervention on bone mineral density in premenopausal women: a randomised trial. *Am J Clin Nutr* Vol 70, N 1,97-103. July 1999.
- 159) ¹ Douchi T, Yamamoto S, et al: The effects of physical exercise on body fat distribution and bone mineral density in postmenopausal women. *Maturitas*. 2000 Apr 28;35(1):25-30.
- 160) ¹ Ryan AS, Nicklas BJ, Dennis KE: Aerobic exercise maintains regional bone mineral density during weight loss in postmenopausal women. *J Appl Physiol* 84:1305-1310. 1998.
- 161) ¹ Cecchetti M, Benvenuti M, Zennaro R, Bellomatti S, Galzigna L: Osteoporosi senile: norma e normalità. *Medicina Geriatria*. XXIV, 355, 1992.
- 162) ¹ McLean RR, Jacques PF, et al: Homocysteine as a predictive factors for hip fracture in older persons. *N Engl J Med*. May 13, 2004;350:2042-9.
- 163) ¹ Van Meurs JBC, et al : Homocysteine levels and the risk of osteoporotic fracture. *N Engl J Med*. May 13, 2004, 350;20:2033-41.
- 164) ¹ Raisz LG: Homocysteine and osteoporotic fracture – culprit or bystander? *N Engl J Med*. May 13, 2004, 350;20:2089-90.
- 165) ¹ Plebani M, Zaninotto M: I nuovi marcatori biochimici di riassorbimento osseo. *Osteoporosi*. Monografia 13-17.
- 166) ¹ Crandal C: Valutazione di laboratorio per l'osteoporosi. *M&D* 2004 Sett:11-15.
- 167) ¹ MacDonald HB: High-calcium diets and fracture prevention. *Am J Clin Nutr*. May 2002. 75;5:950-951.
- 168) ¹ Shea B, Wells G, Cranney A, et al: Calcium supplementation on bone loss in postmenopausal women. *Cochrane Database Syst Rev*. 2004;(1):CD004526.
- 169) ¹ Xu L, McElduff P, D'Este C, Attia J: Does dietary calcium have a protective effect on bone fractures in women? A meta-analysis of observational studies. *Br J Nutr* (2004), 91:625-634.
- 170) ¹ Meyer HE: Calcium and osteoporotic fractures. *Br J Nutr*. (2004), 91:505-506.
- 171) ¹ Heaney RP, Weaver CM: Calcium and vitamin D: *Endocrinol Metab Clin North Am*. 2003 Mar;32(1):181-94.
- 172) ¹ Heaney RP, Davies KM, Barger-Lux MJ: Calcium and weight: clinical studies. *J Am Coll Nutr*. 2002 Apr;21(2):152S-155S.
- 173) ¹ Cifuentes M, Riedt CS, et al: Weight loss and calcium intake influence calcium absorption in overweight postmenopausal women. *Am J Clin Nutr*. 2004 Jul;80(1):123-30.
- 174) ¹ Kohleberg-Mueller K, Raschka L: Calcium balance in young adults on a vegan and lactovegetarian diet. *J Bone Miner Metab*. 2003;21(1):28-33.
- 175) ¹ Lau EM, Kwok T, Woo J, Ho SC: Bone mineral density in Chinese elderly female vegetarians, vegan, lacto-vegetarians and omnivores. *Eur J Clin Nutr*. 1998. Jan ;52(1) :60-4.
- 176) ¹ New SA, Bolton-Smith C, Grubb DA, Reid DM: Nutritional influences on bone mineral density: a cross-sectional study in premenopausal women. *Am J Clin Nutr* 1997;65:1831-9.
- 177) ¹ Francini Pesenti F: Anche le vitamine uccidono. Edizioni GB. www.gbedizioni.com.
- 178) ¹ Daly LE, Kirke PN, et al: Folate levels and neural tube defects. *JAMA* 1995 Dec6; 274(21):1698-73.
- 179) ¹ Advani S, Wimalawansa SJ: Bones and nutrition: common sense supplementation for osteoporosis. *Curr Womens Health Rep*. 2003 Jun;3(3):187-92.
- 180) ¹ Muhlbauer RC, Li F: Effect of vegetables on bone metabolism. *Nature* Vol401; 23 sett 1999:343-344.
- 181) ¹ Dawson-Hughes B, Harris SS: Calcium intake influences the association of protein intake with rates of bone loss in elderly men and women. *Am J Clin Nutr*. 2002 Apr;75(4):773-9.
- 182) ¹ Whitinh SJ, et al: Dietary protein, phosphorus and potassium are beneficial to bone mineral density in adult men consuming adequate dietary calcium. *J Am Coll Nutr*. 2002 Oct;21(5):402-9.

- 183)** ¹ Rapuri PB, Gallagher JC, Haynatzka V: Protein intake: effects on bone mineral density and the rate of bone loss in elderly women. *Am J Clin Nutr.* 2003 Jun;77(6):1517-25.
- 184)** ¹ Eastell R, Lambert H: Strategies for skeletal health in the elderly. *Proc Nutr Soc.* 2002 May;61(2):173-80.
- 185)** ¹ Booth SL, Tucker KL, et al: Dietary vitamin K intake are associated with hip fracture but not with bone mineral density in elderly men and women. *Am J Clin Nutr.* 2000 May;71(5):1201-8.
- 186)** ¹ Booth SL, Broe KE, et al: Vitamin K intake and bone mineral density in women and men. *Am J Clin Nutr.* 2003 Feb;77(2):512-6.
- 187)** ¹ Promislow JH, Goodman-Gruen D, et al: Retinol intake and bone mineral density in the elderly : the Rancho Bernardo Study. *J Bone Miner Res.* 2002 Aug;17(8):1349-58.
- 188)** ¹ Hanna K, Wong J, et al: Phytoestrogen intake, excretion and markers of bone health in Australian women. *Asia Pac J Clin Nutr.* 2004;13(Suppl):S74.
- 189)** ¹ Welch A, Bingham S, et al: Calcaneum broadband ultrasound attenuation relates to vegetarian an omnivoros diets differently in men and women: an observation from the EPIC_Norfolk population study. *Osteoporos Int.* 2004 Oct 5 (in via di pubblicazione, reperito su Medline).
- 190)** ¹ Kraut JA, Coburn JW: Bone, acid, and osteoporosis. *NEJM* 1994 June 23, Vol330; N25:1821-2.
- 191)** ¹ Sebastian A, Steven MD, et al: Improve mineral balance and skeletal metabolism in postmenopausal women treated with potassium bicarbonate. *NEJM.* 1994;330:1776-81.
- 192)** ¹ Siddiqui NA, Shetty KR, Duthie EH Jr: Osteoporosis in older men: discovering when and how to treat it. *Geriatrics.* 1999 Sep;54(9):20-2, 27-8, 30 passim.
- 193)** ¹ Vondracek SF, Hansen LB: Current approaches to the management of osteoporosis in men. *Am J Health Syst Pharm.* 2004 Sep 1;61(17):1801-11.
- 194)** ¹ Karlsson M: Is exercise of value in the prevention of fragility fractures in men?. *Scand J Med Sci Sports.* 2002 Aug;12(4):197-210.
- 195)** ¹ Kanis J, Johnell O: Risk factors for hip fracture in men from southern Europe; the MEDOS study. *Osteoporos Int.* 1999;9(1):45-54.
- 196)** ¹ Lima F, Baima Filho J et al: Osteoporosis in men *Rev Hosp Clin Fac Med Sao Paulo.* 1997 Mar-Apr;52(2):80-5.
- 197)** ¹ Audran M, Legrand E, et al: Osteoporosis in males. *Ann Med Interne (Paris).* 2000 Sep;151(5):399-407.
- 198)** ¹ Orwoll ES, Bevan L, Phipps KR: Determinants of bone mineral density in older men. *Osteoporos Int.* 2000;11(10):815-21.
- 199)** ¹ Kobylansky E, Karasik D, et al: Bone ageing: genetics versus environmental. *Ann Hum Biol.* 2000 Sep_oct;27(5):433-51.
- 200)** ¹ Mazzeo RS, Tanaka H: Exercise prescription for the elderly. *Sports Med* 2001;31(11):809-818.
- 201)** ¹ Hakim AA, Petrovitch MS, et al: Effects of walking on mortality among non-smoking retired men. *NEJM* Jan; 338(2):94-99.
- 202)** ¹ Bijnen FC, Caspersen CJ, et al: Physical activity and 10-year mortality from cardiovascular disease and all causes. *Arch Intern Med.* 1998 Jul;158:1499-1505.
- 203)** ¹ Wannamethee SG, Shaper AG, Walker M: Changes in physical activity, mortality, and incidence of coronary heart disease in older men. *Lancet* 1998 May; 351:1603-08.
- 204)** ¹ Hedblad B, Ogren M, et al: Reduced cardiovascular mortality risk in male smokers who are physically active. *Arch Intern Med* 1997 Apr;157:893-899.
- 205)** ¹ Haapanen-Niemi N, Miiluapalo S, et al: BMI, physical inactivity and low level od physical fitness as determinants of all cause and cardiovascular disease mortality – 16y follow-up of middle aged and elderly men and woman. *Int J Obes.* 2000; 24:1465-74.
- 206)** ¹ Gulati M, Dilip MS, Pandey K, et al: Exercise capacity and the risk of death in women. The st James Women Take Heart Project. *Circulation.* 2003;108:1554-9.
- 207)** ¹ Do Lee C, Blair SN, Jackson AS: Cardiorespiratory fitness, body composition, and all-cause and cardiovascular disease mortality in men. *Am J Clin Nutr* 1999;69:373-80.
- 208)** ¹ Mora S, Redberg RF, Cui Y, et al: Ability of exercise testing to predict cardiovascular and all-cause death in asymptomatic women. *JAMA.* 2003 Sep;290:1600-1607.
- 209)** ¹ Gregg EW, Cauley JA, Stone K, et al: Relationship of changes in physical activity and mortality among older women. *JAMA* 2003 May;289:2379-2386.
- 210)** ¹ Everson KR, Stevens J, Thomas R, Cai J: Effect of cardiorespiratory fitness on mortality among hypertensive and normotensive women and men. *Epidemiology* 2004 Sep;15:565-72.
- 211)** ¹ Miller ER, Erlinger TP, Young DR, et al: Results of the diet, exercise and weight loss intervention trial (DEW-IT). *Hypertension.* 2002;40:612-8.
- 212)** ¹ Williams PT: The illusion of improved physical fitness and reduced mortality. *Med Sci Sports Exerc.* 2003 May;35(5):736-40.
- 213)** ¹ Sum CF, Wang KW, Choo DGA, et al: The effect of a 5 month supervised program of physical activity on anthropometric indices, fat-free mass, and resting energy expenditure in obese male military recruits. *Metabolism* 1994;43:1148.

- 214)** ¹ Ballor DL, Poehlman ET: Exercise-training enhances fat-free mass preservation during diet-induced weight loss: a meta-analytical finding. *Int J Obes* (1994) 18, 35-40.
- 215)** ¹ Dengel DR, Hagberg JM, et al: Effects of weight loss by diet alone or combined with aerobic exercise on body composition in older obese men. *Metabolism* 1994 Jul, 43(7):867-71.
- 216)** ¹ Votruba SB, Micah BA, et al: The role of exercise in the treatment of obesity. *Nutrition* 16:179-188, 2000.
- 217)** ¹ Fiatarone MA, O'Neill EF, et al: Exercise training and nutritional supplement for physical frailty in very elderly people. *NEJM* 1994 Jun23;330:1769-75.
- 218)** ¹ Troiano RP, Macera CA, Ballard-Barbash R: Be physically active each day. How can we know? *J Nutr.* 2001;131:451S-460S.
- 219)** ¹ Fontaine KR, Heo M, Bathon J: Are US adults with arthritis meeting public health recommendations for physical activity? *Arthritis Rheum.* 2004 Feb;50(2):624-8.
- 220)** ¹ Arroyo-Espiguero R, Avanzas P, Jeffery S, Kaski JC: CD14 and toll-like receptor 4: a link between infection and acute coronary events? *Heart.* 2004 Sep;90(9):983-8.
- 221)** ¹ Diaz MN, Frei B, Vita JA, Keaney JF: Antioxidants and atherosclerotic heart disease. *NEJM* 1997 Aug 7, Vol337; N6: 408-416.
- 222)** ¹ Matsuura E, Lopez LR: Are oxidized LDL/beta2-glycoprotein I complexes pathogenic antigens in autoimmune-mediated atherosclerosis? *Clin Dev Immunol.* 2004 Jun ;11(2) :103-11.
- 223)** ¹ Hansson GK: Immune mechanisms in atherosclerosis. *Arter Thromb Vascul Biol.* 2001;21:1876-1901.
- 224)** ¹ Ridker PM, Rifai N et al: Comparison of C-reactive protein and low-density lipoprotein cholesterol levels in the prediction of first cardiovascular events. *NEJM* 2002 Nov 14;347:1557-1565.
- 225)** ¹ Stanger O, Hermann W, et al: DACH-LIGA homocysteyn (german, austrian and swiss homocystein society): Consensus paper on the rational clinical use of homocysteine, folic acid and B-vitamins in cardiovascular and thrombotic disease: guidelines and recommendations. *Clin Chem Lab Med.* 2003 Nov;41(11):1392-403.
- 226)** ¹ Stable SP, Lindenbaum J, Allen RH: Vitamin B12 deficiency in the elderly: current dilemmas. *Am J Clin Nutr.* 1997;66:741-9.
- 227)** ¹ Andrei E, Noel E, et al: Vitamin B12 deficiency with normal Schilling test or non-dissociation of vitamin B12 and its carrier proteins in elderly patients. A study of 60 patients. *Rev Med Interne.* 2003 Apr24(4):218-23.
- 228)** ¹ Camici M, Sacripanti A: Cardiovascular prevention: new biochemical plasmatic markers of risk. *Minerva Med.* 2002 Aug;93(4):275-86.
- 229)** ¹ Bracchetti D: La prevenzione in cardiologia. Ed. EDIMES. Pagina 44.
- 230)** ¹ Meyer et al: BMI and mortalità: the influence of physical activity and smoking. *Med Scien Sports Ex.* 2002. 34(7) :1065-1070.
- 231)** ¹ Camici M: Cancro prostatico e screening con test PSA. *Minerva Medica* 2004;95:25-34.
- 232)** ¹ Suerbaum S, Michetti P: Helicobacter pylori infection. *NEJM Opct* 10;347:1175-1183.
- 233)** ¹ Kositzke JA: A question of balance. Dehydration in the elderly. *J Gerontol Nurs.* 1990 May;16(5):4-11.
- 234)** ¹ Rolls BJ, Phillips PA: Aging and disturbances of thirst and fluid balance. *Nutr Rev.* 1990 Mar;48(3):137-44.
- 235)** ¹ Beck LH: The aging kidney. Defending a delicate balance of fluid and electrolytes. *Geriatrics.* 2000 Apr;55(4):26-8, 31-3.
- 236)** ¹ Kenney WL, Chiu P: Influence of age on thirst and fluid intake. *Med Sci Sports Exerc.* 2001 Sep;33(9):1524-32.
- 237)** ¹ Silver AJ: Aging and risk for dehydration. *Cleve Clin J Med.* 1990 Jun;57(4):341-4.
- 238)** ¹ Phillips PA, Johnston CI, Gray L: Disturbed fluid and electrolyte homeostasis following dehydration in elderly people. *Age and Ageing* 1993;22:26-33.
- 239)** ¹ Fluid-electrolyte balance during labor and exercise: concepts and misconceptions. *Int J Sport Nutr.* 1999 Mar;9(1):1-12.
- 240)** ¹ Warren JL, Bacon WE, Harris T, McBean AM, Foley DJ, Phillips C: The burden and outcomes associated with dehydration among US elderly, 1991. *Am J Public Health* 1994 Aug;84(8):1265-8.
- 241)** ¹ Weinberg AD, Minaker KL: Evaluation and management in older adults. *JAMA,* 1995 Nov;274(19):1552-6.
- 242)** ¹ Sawka MN, Montain SJ: Fluid and electrolyte supplementation for exercise heat stress. *Am J Clin Nutr* 2000;72(suppl):564S-72S.
- 243)** ¹ Hoffman NB: Dehydration in the elderly: insidious and manageable. *Geriatrics* 1991 Jun;46(6):35-8.
- 244)** ¹ Friedman JM: A war on obesity, not the obese. *Science.* 7 Feb 2003 vol299:856-858.
- 245)** ¹ Gura T: Obesity drug pipeline not so far. *Science.* 2003 Feb7;299:849-52.
- 246)** ¹ AAVV (National task force on the prevention and treatment of obesity): Long-term pharmacotherapy in the management of obesity. *JAMA* Dec 18; 276:1907-15.
- 247)** ¹ Pittler MH, Ernst E: dietary supplements for body-weight reduction: a systematic review. *Am J Clin Nutr* 2004;79:529-36.
- 248)** ¹ Mattison R, Jensen MD: Chirurgia bariatrica: Può essere utile in pazienti selezionati. *Minuti Settembre* 2004 pg 17-26.
- 249)** ¹ Sorensen TI: Weight loss causes increased mortality: pros. *Obes Rev.* 2003 Feb;4(1):3-7.

- 250) ¹ Anderson WJ, Konz EC, Frederich RC, Wood CL: Long-term weight-loss maintenance: a meta-analysis of US studies. *Am J Clin Nutr.* 2001 Vol 74, N.5:579-584.
- 251) ¹ Sarlio-Lahteenkorva S, Rissanen A, Kaprio J: A descriptive study of weight loss maintenance: 6 and 15 years follow-up of initially overweight adults. *Int J Obes Relat Metab Disord.* 2000 Jan;24(1):116-25.
- 252) ¹ Higgins M, et al: Benefits and adverse effects of weight loss. *Ann Intern Med.* 1993;119(7 pt 2):758-763.
- 253) ¹ Pamuk ER, et al: Weight loss and subsequent death in a cohort of US adults. *Ann Intern Med.* 1993; 119(7 pt 2):744-748.
- 254) ¹ Andres R, Denis MD, Muller C, Sorkin JD: Long-term effects of change in body weight on all-cause mortality. *Ann Intern Med.* 1993;119(7 pt 2):737-743.
- 255) ¹ Losonczy KG, et al: Does weight loss from middle age to old age explain the inverse weight mortality relation in old age?. *Am J Epidemiol.* 1995, Vol 141, N° 4, 312-321.
- 256) ¹ Diehr P, Bild DE, Harris TB, Duxbury A, Siscovick D, Rossi M: BMI and mortality in non-smoking older adults: the Cardiovascular Health Study. *Am J Public Health.* 1998 Apr;88(4):623-9.
- 257) ¹ Landi F, Zucclà G, Gambassi G, Incalzi RA, Manigrasso L, Pagano F, Carbonin P, Bernabei R: BMI and mortality among older people living in the community. *J Am Geriatr Soc.* 1999 Sep;47(9):1072-6.
- 258) ¹ Allison DB, Zannolli R, Faith MS, Heo M, Pietrobelli A, Van Itallie TB, Pi-Sunyer FX, Heymsfield SB: Weight loss increases and fat loss decreases all cause mortality rate: results from two independent cohort studies. *Int J Obes Relat Metab Disord.* 1999 Jun;23(6):603-11.
- 259) ¹ Dey DK, Rothenberg E, Sundh V, Bosaeus I, Steen B: Body mass index, weight change and mortality in the elderly. A 15y longitudinal population study of 70y olds. *Europ J Clin Nutr* 2001 55, 482-492.
- 260) ¹ Wannamethee SG, Shaper AG, Walker M: Weight change, body weight and mortality: the impact of smoking and ill health. *Int J Epidemiol.* 2001 ;30 :777-786.
- 261) ¹ Kassirer JP, Angell M: An Ill – fated new year’s resolution. *NEJM* 1998, Jan 1, N°1, Vol 338:52-54.
- 262) ¹ Willett WC: Weight loss in the elderly: cause or effect of poor health? *Am J Clin Nutr* 1997;66:737-8.
- 263) ¹ Williamson DF, Pamuk E, Thun M, Flanders D, Byers T, Heath C: Prospective study of intentional weight loss and mortality in never smoking overweight US white women aged 40-64 years. *Am J Epidemiol* 1995 Jun 15;141(12):1128-41.
- 264) ¹ French SA, Folsom AR, Jeffery RW, Williamson DF: Prospective study on intentionality weight loss and mortality in older woman: the Iowa woman’s Health Study. *Am J Epidemiol* 1999 Mar 15;149(6):504-14.
- 265) ¹ Nilsson PM, Nilsson JA, Hedblad B, Berglund G, Lindgarde F: The enigma of increase non-cancer mortality after weight loss in healthy men who are overweight or obese. *J Intern Med.* 2002 Jul;252(1):70-8.
- 266) ¹ Gregg EW, Gerzoff RB, Thompson TJ, Williamson DF: Intentional weight loss and death in overweight and obese US adults 35 years of age and older. *Ann Intern Med.* 2003 Mar 4;138(5):383-9.
- 267) ¹ Heitmann BL, Svendsen OL, Martinussen T, Mikkelsen KL, Keiding N, Sorensen TI, Astrup AV: Significance of intentional weight loss on health. *Ugeskr Laeger.* 1997 Jun 23;159(26):4099-104.
- 268) ¹ Williamson DF: Intentional weight loss: patterns in the general population and its association with morbidity and mortality. *Int J Obes Relat Metab Disord.* 1997 Mar;21 Suppl 1:S14-9.
- 269) ¹ Fontaine KR, Allison DB: Does weight loss affect mortality rate? *Eat Behav.* 2001 Summer;2(2):87-95.
- 270) ¹ Sorensen TI: Weight loss causes increased mortality: pros. *Obes Rev.* 2003 Feb;4(1):3-7.
- 271) ¹ Yang D, Fontaine KR, Wang C, Allison DB: weight loss causes increased mortality: cons. *Obes Rev.* 2003 Feb;4(1):9-16.
- 272) ¹ Elia M: Obesity in the elderly. *Ob Res.* 2001 9:S244-S248.
- 273) ¹ Hu FB, Willett WC: Optimal diets for prevention of coronary heart disease. *JAMA* Nov 27;288:2569-78.
- 274) ¹ Lampe JW: Health effects of vegetables and fruit: assessing mechanisms of action in human experimental studies. *Am J Clin Nutr.* 1999 Nov;70:475S-490S.
- 275) ¹ Johnson IT: Glucosinolates: bioavailability and importance to health. In *t J Vitam Nutr Res.* 2002 Jan;72(1):26-31.
- 276) ¹ Brignall MS: Prevention and treatment of cancer with indole-3-carbinol. *Altern Med Rev.* 2001 Dec;6(6):580-9.
- 277) ¹ Kristal AR, Lampe JW: Brassica vegetables and prostate cancer: a review of the epidemiological evidence. *Nutr Cancer.* 2002;42(1):1-9.
- 278) ¹ Burr ML, Sweetnam PM. Vegetarianism, dietary fiber, and mortality. *Am J Clin Nutr* 1982 Nov;36(5):873-7.
- 279) ¹ Kumagai S, Shibata H, Watanabe S, Suzuki T, Haga H. Effect of food intake pattern on all-cause mortality in the community elderly: a 7-year longitudinal study. *J Nutr Health Aging* 1999;3(1):29-33.
- 280) ¹ Breene WM: *J Food Protection.* 1990. 53 :883-894.

- 281)** ¹ Chang R: Functional properties of edible mushrooms. *Nutr Rev.* 1996 Nov;54(11 pt 2):S91-S93.
- 282)** ¹ Joshipura KJ, Ascherio A, Manson JE, et al: Fruit and vegetable intake in relation to risk of ischemic stroke. *JAMA.* 1999 Oct 6;282:1233-1239.
- 283)** ¹ Broekmans WMR, et al: Fruits and vegetables increase plasma carotenoids and vitamins and decrease homocysteine in humans. *J Nutr.* 2000;130:1578-83.
- 284)** ¹ Alarcon de la Lastra C, et al: Mediterranean diet and health: biological importance of olive oil. *Curr Pharm Des.* 2001 Jul ;7(10) :933-50.
- 285)** ¹ Stark AH, Madar Z: Olive oil as a functional food: epidemiology and nutritional approaches. *Nutr Rev.* 2002 Jun;60(6):170-6.
- 286)** ¹ Caramia G: Polyunsaturated fatty acids: omega-3 in child development. *Pediatr Med Chir.* 2002 Sep-Oct;24(5):337-45.
- 287)** ¹ Bonilla Polo A, et al: Variations in fatty acids, tocopherol and other quality parameters of virgin olive oil subjected to refining process. *Nutr Hosp.* 1997 Nov-dec;12(6):309-11-
- 288)** ¹ Sanders TA: Olive oil and Mediterranean diet. *Int J Vitam Nutr Res.* 2001 May;71(3):179-84.
- 289)** ¹ Visioli F, Galli C: Antiatherogenic components of olive oil. *Curr Atheroscler Rep.* 2001 Jan;3(1):64-7.
- 290)** ¹ Visioli F, Galli C: The effect of minor constituents of olive oil on cardiovascular disease: new findings. *Nutr Rev.* 1998 May;56(5 pt 1):142-7.
- 291)** ¹ Lipworth L, et al: Olive oil and human cancer: an assessment of the evidence. *Prev Med.* 1997 Mar-Apr;26(2):181-90.
- 292)** ¹ Owen RW, et al: Olive-oil consumption and health: the possible role of antioxidants. *Lancet Oncol.* 2000 Oct;1:107-12.
- 293)** ¹ Newmark HL: Squalene, olive oil, and cancer risk: a review and hypothesis. *Cancer Epidemiol Biomarkers Prev.* 1997 Dec;6(12):1101-3.
- 294)** ¹ Tsatsakis AM, et al: Three-year study of fenthion and dimethoate pesticides in olive oil from organic and conventional cultivation. *Food Addit Contam.* 2003 Jun; 20(6): 553-9.
- 295)** ¹ Psaltopoulou T, Naska A, et al: Olive oil, the Mediterranean diet, and arterial blood pressure: the greek European prospective investigation into cancer and nutrition (EPIC) study. *Am J Clin Nutr.* 2004 Oct;80(4):1012-8.
- 296)** ¹ Covas MI, Fito M, Marrugat J, et al: Coronary disease protective factors: antioxidant effect of olive oil. *Therapie.* 2001 Sep-Oct;56(5):607-11.
- 297)** ¹ Trevisan M, Krogh V, et al: Consumption of olive oil, butter, and vegetable oils and coronary heart disease risk factors. The research group ATS-RF2 of the Italian national research. *JAMA* 1990 Feb 2;263(5):688-92.
- 298)** ¹ Jespersen L, Jakobsen MU et al: The effect of dietary oils on blood lipids and the risk of ischemic heart disease with special emphasis on olive oil. A literature review. *Ugeskr Laeger.* 2001 Aug 27;163(35):4736-40.
- 299)** ¹ Rimm EB, Ellison RC: Alcohol in the Mediterranean diet. *Am J Clin Nutr.* 1995 Jun;61(Suppl):1378S-1382S.
- 300)** ¹ Renaud S, Lorgeril M: Wine, alcohol, platelets, and the French paradox for coronary heart disease. *Lancet* 1992 Jun 20;339(8808):1523-6-
- 301)** ¹ Ferrières J: The French paradox: lesson for other countries. *Heart* 2004;90:107-111.
- 302)** ¹ Gusman J, Malonne H, Atassi G: A reappraisal of the potential chemopreventive and chemotherapeutic properties of resveratrol. *Carcinogenesis* 2001 Aug;22(8):1111-7.
- 303)** ¹ Bavaresco L, Fregoni C, Cantu E, Trevisan M: Stilbene compounds: from the grapevine to wine. *Drugs Exp Clin Res.* 1999; 25(2-3): 57-63.
- 304)** ¹ Zbikowska HM, Olas B: Antioxidants with carcinostatic activity (resveratrol, vitamin E and selenium) in modulation of blood platelet adhesion. *J Physiol Pharmacol* 2000 Sep;51(3):513-20.
- 305)** ¹ Hung LM, Chen JK, et al: Cardioprotective effect of resveratrol, a natural antioxidant derived from grapes. *Cardiovasc Res* 2000 Aug 18;47(3):549-55.
- 306)** ¹ Pervaiz S: Resveratrol-from the bottle to the bedside? *Leuk Lymphoma* 2001 Feb;40(5-6):491-8.
- 307)** ¹ Thun MJ, Peto R, Lopez AD, et al: Alcohol consumption and mortality among middle aged and elderly US adults. *NEJM* 1997 Dec;337:1705-14.
- 308)** ¹ Abramson JL, Williams SA, Krumholz HM, Vaccarino V: Moderate alcohol consumption and risk of heart failure among older persons. *JAMA* 2001 Apr;285:1971-7.
- 309)** ¹ Klatsky AL, Friedman GD; et al: Wine, liquor beer, and mortality. *Am J Epidemiol* 2003;158:585-95.
- 310)** ¹ Grønbaek M, Becker U, et al: Type of alcohol consumed and mortality from all cause, coronary heart disease and cancer. *Ann Intern Med.* 2000 Sep;133:411-9.
- 311)** ¹ Murray RP, Connett JE, et al: Alcohol volume, drinking pattern, and cardiovascular disease morbidity and mortality: is there a U-shape function? *Am J Epidemiol.* 2002 Feb;155(3):242-8.
- 312)** ¹ Prosky L. When is dietary fiber considered a functional food? *BioFactors* 12(2000) 289-297.
- 313)** ¹ Slavin JL. Dietary fiber: classification, chemical analyses, and food sources. *J Am Diet Assoc* 1987 Sep;87(9):1164-71.
- 314)** ¹ Federico P, Guarino G, Staibano A, Rossi V, Barbato G, Iacono G. Valutazione dell'effetto della dieta ipocalorica, con cibi integrali sui livelli di Lp(a) in soggetti obesi-diabetici. *Clinica Dietologica.* 1993;20:2, 93-96.

- 315)** ¹ Bruce B, Spiller GA, Klevay LM, Gallanher SK. A diet high in whole and unrefined food favorably alters lipids, antioxidant defenses, and colon function. *J Amer College Nutr*. 2000;19:1,61-67.
- 316)** ¹ Pereira MA, Jacobs DR, et al: Effect of whole grains on insulin sensitivity in overweight hyperinsulinemic adults. *Am J Clin Nutr* 2002;75:848-55.
- 317)** ¹ Montonen J, et al: Whole-grain and fiber intake and the incidence of type 2 diabetes. *Am J Clin Nutr* 2003;77:622-9.
- 318)** ¹ Fung TT, Hu FB, et al : Whole-grain intake and the risk of type 2 diabetes : a prospective study in men. *Am J Clin Nutr* 2002;76:535-40.
- 319)** ¹ Jenkins DJ et al. Effect of a very-high-fiber vegetable, fruit, and nut diet on serum lipids and colonic function. *Metabolism* 2001 Apr;50(4):494-503.
- 320)** ¹ Leinonen KS, Poutanen KS, Mykkanen HM. Rye bread decreases serum total and LDL cholesterol in men with moderately elevated serum cholesterol. *J Nutr* 2000 Feb;130(2):164-70.
- 321)** ¹ Lee Hy, Woo J, Chen ZY, Leung SF, Peng XH. Serum fatty acid, lipid profile and dietary intake of Hong Kong Chinese omnivores and vegetarians. *Eur J Clin Nutr* 2000 Oct;54(10):768-73.
- 322)** ¹ Marckmann P, Sandstrom B, Jespersen J. Low-fat, High-fiber diet favorably affects several independent risk markers of ischemic heart disease: observations on blood lipids, coagulation, and fibrinolysis from a trial of middle-aged Danes. *Am J Clin Nutr* 1994 Apr;59(4):935-9.
- 323)** ¹ Bell LP, Hectorn KJ, Reynolds H, Hunninghake DB. Cholesterol-lowering effects of soluble-fiber cereals as part of a prudent diet for patients with mild to moderate hypercholesterolemia. *Am J Clin Nutr* 1990 Dec;52(6):1020-6.
- 324)** ¹ Jacobs DR Jr, Meyer HE, Solvoll K. Reduced mortality among whole grain bread eaters in men and women in the Norwegian Country Study. *Eur J Clin Nutr* 2001 Feb;55(2):137-43.
- 325)** ¹ Jacobs DR Jr, Meyer KA, Kushi LH, Folsom AR. Is whole grain intake associated with reduced total and cause-specific death rates in older woman? The Iowa Women's Health Study. *Am J Public Health* 1999 Mar;89(3):322-9.
- 326)** ¹ Liu S, Willett WC, et al: Relation between changes in intakes of dietary fiber and grain products and changes in weight and development of obesity among middle-aged women. *Am J Clin Nutr* 2003;78:920-7.
- 327)** ¹ Liu S, Sesso HD, Manson JAE, Willett WC, Buring JE: Is intake of breakfast cereals related to total and cause-specific mortality in men? *Am J Clin Nutr* 2003;77:594-9.
- 328)** ¹ Jacobs DR, Pereira MA, et al: Fiber from whole grains, but not refined grains, is inversely associated with all-cause mortality in older women: the Iowa women's health study. *J Am Coll Nutr*. 2000; 19:326S-330S.
- 329)** ¹ Renaud SC. Diet and stroke. *J Nutr Health Aging* 2001;5(3):167-72.
- 330)** ¹ Jeanteur P. Dietary fiber intake and colon cancer. *Bull Cancer* 1999 Jul-Aug;86(7-8):611-3.
- 331)** ¹ Sowa Y, Sakai T. Butyrate as a model for "gene-regulating chemopreventive and chemotherapy". *BioFactors* 12 (2000) 283-287.
- 332)** ¹ Kritchevsky D. Diet, nutrition, and cancer. The role of fiber. *Cancer* 1986 Oct 15;58(8 Suppl):1830-6.
- 333)** ¹ Reddy BS. Prevention of colon carcinogenesis by components of dietary fiber. *Anticancer Res* 1999 Sep-Oct;19(5A):3681-3.
- 334)** ¹ Willett WC. Diet and cancer. *The Oncologist*, Vol.5, No.5, 393-404, October 2000.
- 335)** ¹ Smith-Warner S. Breast cancer risk not reduced by high intake of fruits and vegetables. *JAMA* 2001;285:769-776,799-801.
- 336)** ¹ Trichopoulos A, Vasilopoulou E. Mediterranean diet and longevity. *Br J Nutr* 2000 Dec;84 Suppl2:S205-9.
- 337)** ¹ De la Taille A, Katz A, Vacherot F, Saint F, Salomon L, Cicco A, Abbou CC, Chopin DK. Cancer of the prostate: influence of nutritional factors. A new nutritional approach. *Presse Med* 2001Mar24;30(11):561-4.
- 338)** ¹ World Cancer Research Fund. Food, nutrition and the prevention of cancer: a global perspective. American Institute for Cancer Research. Washington, DC,1997.
- 339)** ¹ Slattery ML. Diet, lifestyle, and colon cancer. *Semin Gastrointest Dis* 2000 Jul;11(3):142-6.
- 340)** ¹ Giovannucci E, Goldin B. The role of fat, fatty acid, and total energy intake in the etiology of human colon cancer. *Am J Clin Nutr* 1997 Dec;66(6 Suppl):1564S-1571S.
- 341)** ¹ Phillips RL. Role of life-style and dietary habits in risk of cancer among seventh-day adventists. *Cancer Res* 1975 Nov;35(11Pt.2):3513-22.
- 342)** ¹ Grasten SM, Juntunen KS, Poutanen KS, Gylling HK, Miettinen TA, Mykkanen HM. Rye bread improves bowel function and decreases the concentrations of some compounds that are putative colon cancer risk markers in middle-aged woman and men. *J Nutr* 2000;130(9):2215-21.
- 343)** ¹ Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA Willett WC. Intake of fat, meat, and fiber in relation to risk of colon cancer in men. *Cancer Res* 1994 May 1;54 (9):2390-7.
- 344)** ¹ Trock B, Grenwald L, Greenwald P. Dietary fiber, vegetables and colon cancer: critical review and meta-analysis of the epidemiologic evidence. *J Natl Cancer Inst* 82(1990),650-661.
- 345)** ¹ Howe GR, Benito E, Castelletto R, Comee J, Esteve J, Gallagher et al. Dietary intake of fiber and decreased risk in colon cancer and rectum: evidence from the combined analysis of 13 case-control studies. *J Natl Cancer Inst* 84 (1992),1887-1896.
- 346)** ¹ Schatzkin A. Going against the grain? Current status of the dietary fiber-colorectal cancer hypothesis. *BioFactors* 12 (2000)305-311.

- 347) ¹ Weisburger JH. Prevention of cancer and other chronic diseases worldwide based on sound mechanisms. *BioFactors* 2000;12(1-4):73-81.
- 348) ¹ Varady KA, Wang Y, et al: Role of policosanols in the prevention and treatment of cardiovascular disease. *Nutr. Rev.* 2003 Nov;61(11):376-383.
- 349) ¹ Vinson JA. Black and green tea and heart disease: a review. *BioFactors* 13 (2000) 127-132.
- 350) ¹ Kao YH, Hiipakka RA, Liao S. Modulation of endocrine systems and food intake by green tea epigallocatechin gallate. *Endocrinology* 2000 Mar;141(3):980-7.
- 351) ¹ Moline J, Bukharovich IF, Wolff MS, Phillips R. Dietary flavonoids and hypertension: is there a link? *Med Hypotheses* 2000 Oct;55(4):306-9.
- 352) ¹ Landolfi R, Mower RL, Steiner M: Modification of platelet function and arachidonic acid metabolism by bioflavonoids: structure-activity relations. *Biochem Pharmacol.* 1984;33:1525-1530.
- 353) ¹ Tzeng SH, Ko WC, Teng CM. Inhibition of platelet aggregation by some flavonoids. *Thromb Res.*1991;64:91-100.
- 354) ¹ Rein D, Paglieroni TG, Wun T, Pearson DA, Schitz HH, Gosselin R, Kee CL. Cocoa inhibits platelet activation and function. *Am J Clin Nutr.*2000;72:30-35.
- 355) ¹ Keevil JG, Osman HE, Reed JD, Folt JD. Grape juice, but not orange juice or grapefruit juice, inhibits human platelet aggregation. *J Nutr* 2000;130:53-56.
- 356) ¹ Kang WS, Lim IH, Yuk DY, Chung KH, Park JB, Yoo HS, Yun YP. Antithrombotic activities of green tea catechins and (-)-epigallocatechin gallate. *Thromb Res.*1999;96:229-237.
- 357) ¹ Duffy JS, Vita JA, Holbrook M, Swerdloff PL, Keaney JF: Effect of acute and chronic tea consumption on platelet aggregation in patients with coronary artery disease. *Arterioscler Thromb Vasc Biol.*2001;21:1084-1089.
- 358) ¹ Riemersma RA, Rice-evans CA, Tyrrell RM, Clifford MN, Lean MEJ. The flavonoids and cardiovascular health. *Q J Med* 2001;94:277-282.
- 359) ¹ Serafine M, Laranjinha JA, Almeida LM, Maiani G. Inhibition of human LDL lipid peroxidation by phenol-rich beverages and their impact on plasma total antioxidant capacity in humans. *J Nutr Biochem* 2000 Nov;11(11-12):585-590.
- 360) ¹ Leenen R, Roodenburg AJ, Tijburg LB, Wiseman SA. A single dose of tea with or without milk increases plasma antioxidant activity in humans. *Eur J Clin Nutr* 2000 Jan;54(1):87-92.
- 361) ¹ Miura Y, Chiba T, Miura S, Tomita II, Umegaki K, Ikeda M, Tomita T. Green tea polyphenols (flavan 3-ols) prevent oxidative modification of low density lipoproteins: an ex vivo study in humans. 2000 Apr 1;11(4):216-222.
- 362) ¹ Knekt P, Jarvinen R, Reunanen A, Maatela J. Flavonoid intake and coronary mortality in Finland: a cohort study. *BMJ* 1996 Feb 24;312(7029):478-81.
- 363) ¹ Sasazuki S, Kodama H et al. Relation between green tea consumption and severity of coronary atherosclerosis among Japanese men and women. *Ann Epidemiol* 2000 Aug;10(6):401-8.
- 364) ¹ Nakachi K, Matsuyama S, Miyake S, Sukanuma M, Imai K. Preventive effects of drinking green tea on cancer and cardiovascular disease: Epidemiological evidence for multiple targeting prevention. *BioFactors* 13 (2000)49-54.
- 365) ¹ Hertog MG, Feskens EJ, Hollann PC, Katan MB, Kromhout D. Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen Elderly Study. *Lancet* 1993 Oct 23;342(8878):1007-11.
- 366) ¹ Keli SO, Hertog MGL, Feskens EJM, Kromhout D. Dietary flavonoids, antioxidant vitamins, and incidence of stroke. *Arch Intern Med* 1996;156:637-42.
- 367) ¹ Sesso HD, Gaziano JM, Buring JE, Hennekens CH. Coffee and tea intake and the risk of myocardial infarction. *Am J Epidemiol* 1999 Jan 15;149(2):162-7.
- 368) ¹ Hirvonen T, Pietinen P, Virtanen M, Ovaskainen ML, Hakkinen S, Albanes D, Virtamo J. Intake of flavonoids and flavones and risk of coronary heart disease in male smokers. *Epidemiology* 2001;12:62-67.
- 369) ¹ Rimm EB, Katan MB, Asherio A, Stampfer MJ, Willett WC. Relation between intake of flavonoids and risk for coronary heart disease in male health professionals. *Ann Intern Med* 1996 Sep1;125(5):384-9.
- 370) ¹ Hertog MGL, Kromhout D, Aravanis C, et al. Flavonoids intake and long term risk of coronary heart disease and cancer in the Seven Country Study. *Arch Intern Med* 1995;155:381-6.
- 371) ¹ Klatsky AL, Armstrong MA, Friedman GD. Coffee, tea, and mortality. *Ann Epidemiol* 1993 Jul;3(4):375-81.
- 372) ¹ Hertog MG, Sweetnam PM, Fehily AM, Elwood PC, Kromhout D. Antioxidant flavonols and ischemic heart disease in a Welsh population of men: the Caerphilly Study. *Am J Clin Nutr* 1997 May;65(5):1489-94.
- 373) ¹ Setiawan VW, Zhang ZF, et al. Protective effect of green tea on the risks of chronic gastritis and stomach cancer. *Int J Cancer*:92, 600-604(2001).
- 374) ¹ Yu GP, Hsieh CC, Wang LY, Yu SZ, Li XL, Jin TH. Green-tea consumption and risk of stomach cancer: a population-based case-control study in Shanghai, China. *Cancer Causes Control* 1995 Nov;6(6):532-8.
- 375) ¹ Kono S, Ikeda M, Tokudome S, Kuratsume M. A case-control study of gastric cancer and diet in northern Kyushu, Japan. *Jpn J Cancer Res* 1988 Oct;79(10):1067-74.
- 376) ¹ Kuwahara Y, Kono S, Eguchi H, Hamada H, Shinchi K, Imanishi K. Relationship between serologically diagnosed chronic atrophic gastritis, *Helicobacter pylori*, and environmental factors in Japanese men. *Scand J Gastroenterol* 2000 May;35(5):476-81.
- 377) ¹ Shibata K, Moriyama M, Fukushima T, Kaetsu A, Miyazaki M, Une H. Green tea consumption and chronic atrophic gastritis: a cross-sectional study in a green tea production village. *J Epidemiol* 2000 Sep;10(5):310-6.

- 378)** ¹ Tsubono Y, Nishino Y, et al. Green tea and the risk of gastric cancer in Japan. *N Engl J Med*. 2001 Mar 1;344(9):632-6.
- 379)** ¹ Ji BT, Chow WH, et al. Green tea consumption and the risk of pancreatic and colorectal cancer. *Int J Cancer* 1997 Jan27;70(3):255-8.
- 380)** ¹ Goldbohm RA, Hertog MG, Brants HA, van Poppel G, van den Brandt PA. Consumption of black tea and cancer risk: a prospective cohort study. *J Natl Cancer Inst* 1996 Jan 17;88(2):93-100.
- 381)** ¹ Tavani A, Pregnolato A, La Vecchia C, Negri E, Talamini R, Franceschi S. Coffee and tea intake and risk of the colon and rectum: a study of 3.530 cases and 7.057 controls. *Int J Cancer* 1997 Oct9;73(2):193-7.
- 382)** ¹ Hartman TJ, Tangrea JA, Pietinen P, Malila N, Virtanen M, Taylor PR, Albanes D. Tea and coffee consumption and risk of colon and rectal cancer in middle-aged Finnish men. *Nutr Cancer* 1998;31(1):41-8.
- 383)** ¹ Siscovick DS, Rozenn RN, et al: The fish story. A diet-heart hypothesis with clinical implications: n-3 polyunsaturated fatty acids, myocardial vulnerability, and sudden death. *Circulation* 2003;107:2632-2634.
- 384)** ¹ Dallongeville J, Yarnell J, et al: Fish consumption is associated with lower heart rates. *Circulation* 2003;108:820-5.
- 385)** ¹ Johnson LK, Hiermann I, Tonstad S. Diet and secondary prevention of coronary heart disease are our recommendations good enough? *Tidsskr Nor Laegeforen* 2001 Mar 30;121(9):1092-8.[Article in Norwegian].
- 386)** ¹ Shaper AG. Environmental factors in coronary heart disease: diet. *Eur Heart J* 1987 Aug;8 Suppl E:31-8.
- 387)** ¹ Lemaitre RN, King IB, et al: n-3 polyunsaturated fatty acids, fatal ischemic heart disease, and nonfatal myocardial infarction in older adults: the cardiovascular health study. *Am J Clin Nutr* 2003;77:319-25.
- 388)** ¹ Hu FB, Bronner L, Willett WC, et al: Fish and omega-3 fatty acid intake and risk of coronary heart disease in women. *JAMA*. 2002 Apr;287:1815-21.
- 389)** ¹ Hu FB, Manson JE, Willett WC. Types of dietary fat and risk of coronary heart disease: a critical review. *J Am Coll Nutr* 2001 Feb;20(1):5-19.
- 390)** ¹ Mozaffarian D, Laimate RN, Kuller LH, et al: Cardiac benefits of fish consumption may depend on the type of fish meal consumed. *Circulation*. 2003;107:1372-7.
- 391)** ¹ Yoshizawa K, Rimm EB, Morris JS, et al: Mercury and the risk of coronary heart disease in men. *NEJM* 2002 Nov;347:1755-1760.
- 392)** ¹ Densupsoontorn N, et al: Comparison of the nutrient content of fresh fruit juices vs commercial fruit juices. *J Med Assoc Thai*. 2002 Aug;85 Suppl2:S732-8.
- 393)** ¹ Key TJ, Thorogood M, Appleby PN, Burr ML. Dietary habits and mortality in 11.000 vegetarians and health conscious people: results of a 17 year follow up. *BMJ* 1996 Sep28;313(7060):775-9.
- 394)** ¹ Hu FB, Rimm EB, et al: Prospective study of major dietary patterns and risk of coronary heart disease in men. *Am J Clin Nutr*. 2000;72:912-21.
- 395)** ¹ Lasheras C, Fernandez S, Patterson AM: Mediterranean diet and age with respect to overall survival in institutionalized, nonsmoking elderly people. *Am J Clin Nutr* 2000;71:987-92.
- 396)** ¹ Trichopoulos A, Costacou T, et al: Adherence to a mediterranean diet and survival in a Greek population. *NEJM* 2003 Jun 26;348:2599-2608.
- 397)** ¹ Steffen LM, Jacobs DR, et al: Associations of whole-grain, refined-grain, and fruit and vegetable consumption with risks of all-cause mortality and incident coronary artery disease and ischemic stroke: the atherosclerosis risk in communities (ARIC) study. *Am J Clin Nutr* 2003;78:383-90.
- 398)** ¹ Trichopoulos E, Vasilopoulou E. Mediterranean diet and longevity. *Br J Nutr* 2000 Dec;84 Suppl2:S205-9.
- 399)** ¹ Jacotot B. Role of diet in cardiovascular prevention *Ann Med Interne (Paris)* 2001 Apr;152(3):194-7.
- 400)** ¹ Susanna F: Obesità: un'epidemia globale (parte seconda). *Emozioni e Cibo*. Anno 2003, N° 10, pp.11-13.
- 401)** ¹ Fruhbeck G: Peripheral actions of leptin and its involvement in disease. *Nutr Rev*. 2002;60(10):S47-S55.
- 402)** ¹ Mohamed-Ali V, Pinkney JH, Coppack SW: Adipose tissue as an endocrine and paracrine organ. *Int J Obes* 1998;22:1145-58.
- 403)** ¹ Williams J, Mobarthan S: A critical interaction: leptin and ghrelin. 2003;61(11):391-3.
- 404)** ¹ Weisberg SP, McCann D, et al: Obesity is associated with macrophage accumulation in adipose tissue. *J Clin Invest*. 2003;112:1796-1808.
- 405)** ¹ Mokdad AH, et al: Actual causes of death in the United States, 2000. *JAMA*. 2000;291:1238-1245.
- 406)** ¹ Illich I: Medical nemesis. *Lancet* 1974;1:918-21. in: Fitzgerald FT: *The tyranny of health*. *NEJM* 1994 Jul21;331(3):196-8.